

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	154	"transport format combination" and "UMTS"	US-PGPUB; USPAT	OR	OFF	2005/07/10 22:26
S67	0	(370/410,522).ccls. and format with combination\$1 same bearer	USPAT	OR	OFF	2005/07/10 22:27
S66	3	(370/410,522).ccls. and transport with combination\$1 same bearer	USPAT	OR	OFF	2005/07/10 22:27
S65	4	(370/410,522).ccls. and transport with combination\$1 same bearer	US-PGPUB; USPAT	OR	OFF	2005/07/10 22:27
S64	45	(370/410,522).ccls. and transport with combin\$8	US-PGPUB; USPAT	OR	OFF	2005/07/10 22:27
S68	3	(370/410,522).ccls. and transport with combination\$1 same bearer and call with (setup set-up releas\$3)	USPAT	OR	OFF	2005/07/10 22:28
S70	0	(370/410,522).ccls. and construct\$3 with transport with combination\$1 same bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:30
S69	3	(370/410,522).ccls. and transport with combination\$1 same bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:30
S71	0	(370/410,522).ccls. and form\$3 with transport with combination\$1 same bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:31
S72	3	(370/410,522).ccls. and (form\$3 construct\$3 group\$4) with (transport combin\$8) and transport with combination\$1 same bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:32
S75	0	(370/410,522).ccls. and (form\$3 construct\$3 group\$4) with (transport combin\$8) and format with set and bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:33
S74	0	(370/410,522).ccls. and (form\$3 construct\$3 group\$4) with (transport combin\$8) and format with set same bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:33
S73	3	(370/410,522).ccls. and (form\$3 construct\$3 group\$4) with (transport combin\$8) and transport with set same bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:33
S79	1	S78 and transport	USPAT	OR	OFF	2005/07/10 22:35

S81	1	(370/410,522).ccls. and format with combination and bearer and (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:38
S80	0	(370/410,522).ccls. and format with combination same (identification identif\$4) and bearer and (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:38
S78	3	S77 not S76 not S73	USPAT	OR	OFF	2005/07/10 22:48
S76	2	(370/410,522).ccls. and (form\$3 construct\$3 group\$4) with (transport combin\$8) and format with set and bearer and (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:54
S83	0	"370".clas. and (form\$3 construct\$3 group\$4) with transport with combination with bearer and (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:55
S82	0	(370/410,522).ccls. and (form\$3 construct\$3 group\$4) with transport with combination with bearer and (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:55
S77	5	(370/410,522).ccls. and (form\$3 construct\$3 group\$4) with (format combin\$8) and format with set and bearer and (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:55
S85	1	(form\$3 construct\$3 group\$4) with transport with combination with bearer same (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:56
S84	2	(form\$3 construct\$3 group\$4) with transport with combination with bearer and (identification identif\$4)	USPAT	OR	OFF	2005/07/10 22:56

S88	0	("20020051439" "20030053426" "5056109" "5257283" "5345598" "5539728" "5603096" "5634195" "5671218" "5722051" "5768684" "5794129" "5812938" "5815798" "5815801" "5870393" "5873028" "5896411" "5898740" "5940430" "5946346" "5956649" "6067446" "6067458" "6085107" "6173007" "6173162" "6272354" "6334047" "6529482" "6671266").PN. and format with combination and bearer and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:57
S87	0	("20020051439" "20030053426" "5056109" "5257283" "5345598" "5539728" "5603096" "5634195" "5671218" "5722051" "5768684" "5794129" "5812938" "5815798" "5815801" "5870393" "5873028" "5896411" "5898740" "5940430" "5946346" "5956649" "6067446" "6067458" "6085107" "6173007" "6173162" "6272354" "6334047" "6529482" "6671266").PN. and transport with combination and bearer and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:57
S86	31	("20020051439" "20030053426" "5056109" "5257283" "5345598" "5539728" "5603096" "5634195" "5671218" "5722051" "5768684" "5794129" "5812938" "5815798" "5815801" "5870393" "5873028" "5896411" "5898740" "5940430" "5946346" "5956649" "6067446" "6067458" "6085107" "6173007" "6173162" "6272354" "6334047" "6529482" "6671266").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:57

S89	0	("20020051439" "20030053426" "5056109" "5257283" "5345598" "5539728" "5603096" "5634195" "5671218" "5722051" "5768684" "5794129" "5812938" "5815798" "5815801" "5870393" "5873028" "5896411" "5898740" "5940430" "5946346" "5956649" "6067446" "6067458" "6085107" "6173007" "6173162" "6272354" "6334047" "6529482" "6671266").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:58
S92	1	("5757772" "5940763" "6307843" "6363058" "6374112" "6477670" "6542490" "6542516").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:59
S91	8	("5757772" "5940763" "6307843" "6363058" "6374112" "6477670" "6542490" "6542516").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:59
S93	0	("5757772" "5940763" "6307843" "6363058" "6374112" "6477670" "6542490" "6542516").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification) and construct\$	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:00
S94	1	("5757772" "5940763" "6307843" "6363058" "6374112" "6477670" "6542490" "6542516").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification) and (group\$4 form\$3 creat\$3) with (transport combination set format)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:04

S96	2996	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct\$3 group\$4 form\$3 creat\$3) with (combination set) and ("370".clas. "455".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:05
S99	349	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct\$3 group\$4) with (combination set) and "370".clas. and identifier	USPAT	OR	ON	2005/07/10 23:06
S98	512	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct\$3 group\$4) with (combination set) and "370".clas.	USPAT	OR	ON	2005/07/10 23:06
S97	1744	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct\$3 group\$4 form\$3 creat\$3) with (combination set) and ("370".clas. "455".clas.)	USPAT	OR	ON	2005/07/10 23:06
S10 1	6	S100 and combination with set	USPAT	OR	ON	2005/07/10 23:09
S10 2	2	S101 and bearer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 23:10
S10 0	39	(transport format) with (combination set) and (bearer channel path) and identifier and (construct\$3 group\$4) with (combination set) and "370".clas. and transport with combination	USPAT	OR	ON	2005/07/10 23:10
S10 4	9	S100 and (allowable valid invalid) with (bearer TFC combination set TFCS)	USPAT	OR	ON	2005/07/10 23:11
S10 3	22	S100 and (allowable valid invalid)	USPAT	OR	ON	2005/07/10 23:11
S10 5	222	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct\$3 group\$4 form\$3 creat\$3) with (combination set) and format with (combination set) and bearer	USPAT	OR	ON	2005/07/10 23:13

S95	17388	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct\$3 group\$4 form\$3 creat\$3) with (combination set)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:13
S10 6	5	S105 and tf and tfc	USPAT	OR	ON	2005/07/10 23:14
S10 7	7	S105 and tfcs	USPAT	OR	ON	2005/07/10 23:15
S10 8	2	S107 not S106	USPAT	OR	ON	2005/07/10 23:16
S11 0	13	(construct\$3 creat\$3 form\$3 group\$4) same (valid allowable) with transport with combination	USPAT	OR	ON	2005/07/10 23:17
S10 9	2	construct\$3 same (valid allowable) with transport with combination	USPAT	OR	ON	2005/07/10 23:17
S11 1	11	S110 not S109	USPAT	OR	ON	2005/07/10 23:18
S11 3	0	("5729532" "5701295" "5574724").pn. and construct\$3	USPAT	OR	ON	2005/07/10 23:19
S11 2	7	S111 and (bearer path)	USPAT	OR	ON	2005/07/10 23:19
S11 8	0	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same combination	USPAT	OR	ON	2005/07/10 23:20
S11 7	0	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same transport same combination	USPAT	OR	ON	2005/07/10 23:20
S11 5	0	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same (valid allowable)	USPAT	OR	ON	2005/07/10 23:20
S11 4	0	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same (valid allowable) same (transport combination)	USPAT	OR	ON	2005/07/10 23:20
S12 0	0	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same combination	USPAT	OR	ON	2005/07/10 23:21
S11 9	0	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) with combination	USPAT	OR	ON	2005/07/10 23:21

S11 6	3	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same (transport combination)	USPAT	OR	ON	2005/07/10 23:21
S12 3	3	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same transport and bearer with transport	USPAT	OR	ON	2005/07/10 23:22
S12 2	3	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same transport and bearer	USPAT	OR	ON	2005/07/10 23:22
S12 1	3	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same transport	USPAT	OR	ON	2005/07/10 23:22
S12 5	3	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same transport and bearer with transport with message and plural\$8	USPAT	OR	ON	2005/07/10 23:23
S12 4	3	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 form\$3 group\$4) same transport and bearer with transport with message	USPAT	OR	ON	2005/07/10 23:23
S12 7	0	S126 and format	USPAT	OR	ON	2005/07/10 23:24
S12 6	1	("5729532" "5701295" "5574724").pn. and (construct\$3 creat\$3 group\$4) same transport and bearer with transport with message and plural\$8	USPAT	OR	ON	2005/07/10 23:24
S12 8	1	S126 and differ\$9 with protocol	USPAT	OR	ON	2005/07/10 23:25